



Ceiling Display Solutions

ceilingoutfitters.com

Welcome to Ceiling Outfitters!

We appreciate your interest in our company and the products we offer. Ceiling Outfitters™ is a distributor of high quality sign hanging solutions for ceilings. Since 2007, we have partnered with over 2,000 organizations nationally within the retail, manufacturing, education, hospitality and non-profit industries. Ceiling space and store front windows are optimal visual display locations and our goal is to help customers utilize these areas safely, quickly, easily, and more economically.

Our premier magnetic sign hanging system, Clik-Clik™, transforms the ceiling eco-system into a workable location for strategic placement of ceiling signs or displays and helps you successfully suspend items without climbing a ladder or renting a lifting device.

- Over 22,000 retail stores like Albertsons, Safeway, Whole Foods, Kohl's, and Walmart use our products to make it safe and easy for store personnel to execute POP sign programs
- A growing list of manufacturers, including Magna Mirrors, GM, and Parker Hannifin utilize our systems to implement the Visual Workplace efficiently and more cost effectively, giving them a competitive edge in the marketplace
- Event venues and planners rely on our tools to make every event installation and clean-up quick, easy and efficient
- Schools and religious organizations hang banners, decorations, spirit signs, and student projects, while keeping teachers and staff off tables, chairs and ladders

Our priorities are to provide customized solutions at a competitive price, ship quickly to meet deadlines, and deliver excellent customer care.

Please browse this catalog and let us know how we can be of assistance. We look forward to “hanging” with you.

Kind regards,

Thomas Stanley
President

The unique Clik-Clik™ Magnetic Hanging System ends the need to climb a ladder or rent a lifting device. Hang items from challenging ceiling heights easier, faster, safer and more economically. A single individual can confidently install signs or displays in seconds without damaging ceiling tiles.

The Clik-Clik™ components include strong neodymium ClikMagnets™, a MagMover™ attached to a telescoping MagPole™ and our patented LoopLine™ cord. Offering quality design features and functionality, the Clik-Clik system provides the best integrated solution in the industry, and includes a one year warranty.

For your convenience, we have bundled our most popular Clik-Clik components into specially priced Starter Kits. Designed with affordability and simplicity in mind, these kits provide all the required components to strategically place signs or displays that communicate your message effectively while reducing floor space clutter.

Visit the Information page on our website to see videos of Clik-Clik in action.

1 Thread MagMover onto MagPole



2 Attach ClikMagnets to your sign with LoopLine




3 Place prepared ClikMagnets onto assembled MagMover



4 Extend MagPole to suspend your sign from metal surface



Select ClikMagnets™ from our assortment based on the weight of the display



Mini ClikMagnet™

- Up to 3-lb magnetic pull (1.4kg)
- Neodymium magnet
- Single metal ring for easy LoopLine connection
- For very lightweight signs, mobiles, and décor items
- Packaged 20 magnets per bag
- Measures .75 x .75 x .88 inches (1.9 x 1.9 x 2.2cm)

Item No. 10-93503 (A)

Regular ClikMagnet™

- Up to 5-lb magnetic pull (2.3kg)
- Powerful plastic-coated neodymium magnets
- Single metal ring for easy LoopLine connection
- For lightweight signs, fabrics, and décor items
- Packaged 20 magnets per bag
- Measures 1.75 x .5 x .6 inches (4.4 x 1.3 x 1.5cm)

Black – Item No. 10-94300 (B)

White – Item No. 10-94299 (C)



Super ClikMagnet™

- Up to 10-lb magnetic pull (4.5kg)
- Powerful plastic-coated neodymium magnets
- Double metal ring for easy LoopLine connection
- For heavier signs, POP displays, and banners
- Packaged 10 magnets per bag
- Measures 2.25 x .81 x .59 inches (5.8 x 2.0 x 1.5cm)

Black – Item No. 10-95288 (D)

White – Item No. 10-95277 (E)



Round ClikMagnet™

- Available in 5-lb (2.3kg), 10-lb (4.5kg), and 20-lb (9.1kg) magnetic pull
- Embedded color ring identifies magnet pull-strength
- Powerful neodymium magnets
- Works with any MagMover and the FlatHat™ system
- Packaged 10 magnets per bag
- Measures 1.5 x 1.0 inches (3.8 x 2.5cm)

Yellow – Item No. 10-95550 (F)

Up to 5-lb magnetic pull (2.3kg)

Blue – Item No. 10-95570 (G)

Up to 10-lb magnetic pull (4.5kg)

Red – Item No. 10-95600 (H)

Up to 20-lb magnetic pull (9.1kg)

Note: Keep ClikMagnets a minimum of 6 inches (15cm) away from credit cards, bank cards, video and recording tapes, computer disks, computers, heart pacemakers, navigational compasses and other electronic devices.

Select LoopLine based on weight of display and ceiling color



LoopLine™ is our patented, durable connecting cord configured with two-inch repeating loops. Replace expensive steel cable, barbed-string, and hard-to-work-with monofilament, with this easy-to-install, reusable, time-saving and cost-efficient product.

LoopLine quickly connects a KlikMagnet to your sign, ceiling display, or decor items using a simple cow hitch; ending the need to tie a knot. Ceiling signs always hang level when cords are cut with the same number of loops.

Made from synthetic polymers and infused with a UV inhibitor, LoopLine will not discolor from exposure to sunlight.

Visit our website's Information page to view a video about LoopLine.

LoopLine™

- 25-lb tensile strength (11.3kg)
- Ideal for use with POP displays, signs, banners, fabric and décor
- Available in two spool lengths
- Choose from black, clear or white

82-ft Spool (25m), Black – Item No. 10-70144 (A)

82-ft Spool (25m), Clear – Item No. 10-70166 (B)

82-ft Spool (25m), White – Item No. 10-70133 (C)

328-ft Spool (100m), Black – Item No. 10-70124 (D)

328-ft Spool (100m), Clear – Item No. 10-70126 (E)

328-ft Spool (100m), White – Item No. 10-70123 (F)

LoopLine Light™

- Recommended for lightweight signs, mobiles, and décor items

328-ft Spool (100m), White, 5-lb tensile strength (2.3kg) – Item No. 10-70155 (G)

164-ft Spool (50m), Clear, 10-lb tensile strength (4.5kg) – Item No. 10-70165 (H)

508-ft Spool (155m), Clear, 10-lb tensile strength (4.5kg) – Item No. 10-70168 (I)



LoopLine 400™

- 400-lb tensile strength (181.4kg)
- Ideal for use with FlatHat for tall ceilings, HVAC, lighting, and other heavier-weight items

115-ft Spool (35m), Gray – Item No. 10-74035 (J)



Design A Sign Hanging Kit

- Customize a solution to match project requirements
- Choose LoopLine color and cut length
- Select ceiling connector
- Custom bagging available



Pre-Packaged Sign Hanging Kits

Super KlikMagnet LoopLine Kit – Item No. 10-60102

Contains: 2 Super KlikMagnets in white or black and 2 6-foot lengths of LoopLine in your choice of color in a bag

S-Hook LoopLine Kit – Item No. 10-60103 (K)

Contains: 2 2-inch S-Hooks and 2 4-foot lengths of LoopLine in your choice of color in a bag

We have the right MagPole™ to reach your ceiling height

MagPole™

- Sturdy aluminum and fiberglass construction designed for professional long-term use
- Telescoping sections lock into place – no twisting – and retracts for easy transport and storage
- Light-weight and easy to maneuver with standard metal threaded end
- Body height, arm reach, and MagPole length determine the reachable ceiling height

MagPole – Item No. 10-18000 (A)

Extends to 18 feet (5.5m) for ceilings up to 23 feet (7m); collapses to 5 feet 9 inches (1.7m); weighs 8 lbs (3.6kg)

Monster MagPole – Item No. 10-18023 (B)

Extends to 23 feet (7m) for ceilings up to 27 feet (8.2m); collapses to 6 feet 8 inches (2.1m); weighs 9 lbs (4.1kg)

One-Button MagPole – Item No. 10-11702 (C)

Extends to 8 feet (2.4m) for ceilings up to 14 feet (4.3m); collapses to 4 feet 5 inches (1.4m); weighs 2 lbs (.9kg)



FlatHat Receiver™


- Solution for hanging items from ceilings taller than 27 feet (beyond the reach of a MagPole)
- Attaches to the free end of steel cable dropped from an open-beam ceiling
- One-time installation creates a fixed “KlikSpot” for signs and displays
- Specially designed flared edges guide Round KlikMagnets™ into place
- Built-in metal plate provides a secure connection
- Packaged 20 Receivers per bag
- Receiver measures 1.6 x 1.6 inches (4 x 4cm)

Item No. 10-95500 (D)



Note: Detailed information on the FlatHat™ System can be found on our website, including installation instructions.


“How high is your ceiling?” It’s a question we ask our customers and many don’t know how to determine a ceiling height. Here is a quick and simple method to measure your facilities’ ceiling height.




- Recruit someone to stand against the wall below the ceiling you wish to measure. Or, you can use an object like a door, store fixture, or window ... just know it’s height.



- Stand about 20 feet in front of the same wall, extend your arm in front of you and “measure” the person’s height using your thumb and index finger as shown.



- Continue “measuring” up the wall with the original spacing established between your thumb and finger until you reach the ceiling.




- Take the person’s approximate height and multiply by the number of “measurements” from the floor to the ceiling.

6' x 2.5 = 15' ... “We have 15' ceilings!”

Remember, our MagPoles extend to 8, 18 and 23 feet. Depending on body height and arm reach, you can safely and easily reach most tall ceilings.

Whether your item has a single attachment point or six, our MagMovers™ are ready for the job



Single MagMover™


- Position and retrieve a single KlikMagnet
- Ideal for items with one attachment point
- Heavy-duty metal construction
- Screws on to any pole with standard thread
- Patented

Item No. 10-94290 (A)
3 x 3 inches (7.5 x 7.5cm)

Multi MagMover™

- Position and retrieve up to six KlikMagnets
- Installs signs and banners constructed of flexible material with multiple grommets, fabrics, decorative lighting or garland
- Heavy-duty aluminum and steel construction
- Patented

Item No. 10-10406 (B)
24 inches wide (61cm)



Dual MagMover™

- Position and retrieve two KlikMagnets
- Perfect for hanging signs, POP displays and banners
- Heavy-duty aluminum and steel construction
- Wide Dual MagMover is designed for use with items containing two attachment points spaced 24 inches apart or more
- 24-inch width matches most ceiling grids (perfect for drop ceilings)
- Adjustable Dual MagMover's flexible design allows positioning of posts to match a sign's attachment point configuration
- Patented

Standard – Item No. 10-10402 (C)
6 inches wide (15.2cm)

Wide – Item No. 10-10242 (D)
24 inches wide (61cm)

Adjustable – Item No. 10-12402 (E)
24 inches wide (61cm) with sliding posts

Flush Mount Clips

- Replaces LoopLine when hanging signs close to the ceiling
- Ideal solution for low ceilings
- Creates a metal loop connection point with secure cross-over lock
- For use with Adjustable Dual MagMover
- Measures 1.2 inches in diameter (30.7mm)

Item No. 10-29150 (F)



Extra-Tall Ceiling Kit

- For ceilings up to 27 feet (8.2m)
- Use on open-beam or drop ceilings

10-Sign Kit – Item No. 10-98502

Contains: a Monster MagPole; a Dual MagMover; 20 Super ClikMagnets in black or white; and an 82-foot spool of LoopLine in black, clear or white

20-Sign Kit – Item No. 10-98602 (A)

Contains: a Monster MagPole; a Dual MagMover; 40 Super ClikMagnets in black or white; and a 328-foot spool of LoopLine in black, clear or white



Tall Ceiling Kit

- For ceilings up to 23 feet (7m)
- Use on open-beam or drop ceilings

10-Sign Kit – Item No. 10-98500 (B)

Contains: a MagPole; a Dual MagMover; 20 Super ClikMagnets in black or white; and an 82-foot spool of LoopLine in black, clear or white

20-Sign Kit – Item No. 10-98600

Contains: a MagPole; a Dual MagMover; 40 Super ClikMagnets in black or white; and a 328-foot spool of LoopLine in black, clear or white



20-Sign Kit with Extra Strength Magnets – Item No. 10-98620 (C)

Contains: a MagPole; a Dual MagMover; 40 Round Red ClikMagnets; and an 82-foot spool of LoopLine in black, clear or white

Low Ceiling Kit

- For ceilings up to 14 feet (4.3m)
- Use on open-beam or drop ceilings

10-Sign Kit – Item No. 10-98300 (D)

Contains: a OneButton MagPole; a Dual MagMover; 20 Super ClikMagnets in black or white; and an 82-foot spool of LoopLine in black, clear or white

20-Sign Kit – Item No. 10-98400

Contains: a OneButton MagPole; a Dual MagMover; 40 Super ClikMagnets in black or white; and a 328-foot spool of LoopLine in black, clear or white



Event Planner Kit

- For ceilings up to 14 feet (4.3m)
- Ideal for installing lightweight fabric, balloons and other party décor
- Use on open-beam or drop ceilings

Item No. 10-98200 (E)

Contains: a OneButton MagPole; a Single MagMover; 20 Regular ClikMagnets in black or white; and an 82-foot spool of LoopLine in black, clear or white



Supply Re-order Kits

- Resupply ClikMagnets and LoopLine inventory with a money-saving re-order kit
- Choose the correct re-order kit for your project based on the weight of the items being hung


Regular – Item No. 10-98101 (F)

Contains: 40 Regular ClikMagnets in black or white; and an 82-foot spool of LoopLine in black, clear or white

Super – Item No. 10-98102 (G)

Contains: 20 Super ClikMagnets in black or white; and an 82-foot spool of LoopLine in black, clear or white






Create an adjustable loop in steel cable with a compact, self-locking UrbanTrapeze™ and eliminate the need for crimps and ferrules.

Available in two models, UrbanTrapeze is a reliable solution for suspending signs, aisle markers, lighting systems, sound systems, ceiling panels, fan units and HVAC ducting. Simply feed the cable into the arrow-guided clutch where the built-in locking mechanism automatically grips the wire. Pressing the clutch button allows the cable to freely move back and forth for quick and easy height adjustments or to remove the device from the cable completely.

Manufactured in a sleek anodized aluminum finish, UrbanTrapeze is aesthetically attractive, as compared to competitive products, and perfect for applications in retail display, manufacturing, conference or event environments.



UrbanTrapeze™

- Securely form a loop in steel cable
- Compact and self-locking
- Level signs with the push of a button
- Eliminate need for crimps or ferrules
- Installs signs and banners, fabrics, decorative lighting or garland
- Use with flexible material with multiple grommets
- Use with 7 x 7 construction uncoated steel cable

Model 1.5 – Item No. 63-10015 (A)

Measures 1.3 x .75 inches (3.2 x 1.9cm)
Holding power up to 44 lbs (19.9kg)
96-lb safe working load (43.5kg)
Uses 1/16-inch 7x7 uncoated steel cable

Model 3.0 – Item No. 63-10030 (B)

Measures 1.9 x 1.2 inches (4.9 x 3.0cm)
Holding power up to 198 lbs (90kg)
340-lb safe working load (154kg)
Uses 1/8-inch 7x7 uncoated steel cable



Steel Cable

- Aircraft quality galvanized steel cable
- Uncoated 7x7 strand construction
- Works with UrbanTrapeze and the FlatHat System

1/16-in. steel cable; 96-lb workload (43.5kg)

100-ft Spool – Item No. 62-10010

250-ft Spool – Item No. 63-10025

500-ft Spool – Item No. 63-10050

1/8-in. steel cable; 340-lb workload (154kg)

100-ft Spool – Item No. 62-10110 (C)

250-ft Spool – Item No. 62-10125

500-ft Spool – Item No. 62-10150

Aluminum Crimps

- Hourglass - duplex shape
- Requires 3-cavity hand swager
- Not recommended for coated cable
- Packaged 100 per bag

1/16-inch – Item No. 64-11016 (D)

1/8-inch – Item No. 64-11008



Steel Cable Cutter

- Made from high quality steel alloy with vinyl coated cushion handles
- Cuts up to 3/16-inch diameter cable (.48cm)
- Provides a clean cut without fraying
- Pocket sized – 8 inches (20.3cm)

Item No. 62-12000 (E)

Three Cavity Hand Swager with Cutter

- Multi cavity tool
- Use for hand compression of 1/32-inch (.80mm), 3/64-inch (1.2mm), and 1/16-inch (1.6mm) aluminum and copper crimps (sleeves) and stops
- Built in cable cutter
- Heat treated forged alloy steel jaws
- 10 inches long (25.4cm)
- Weighs 1.0lb (.45kg)

Item No. 62-12003 (F)



E-Z Elliptical Aluminum Banner Hanger

- Sleek silver anodized finish
- Grip capacity of .187" perfect for FomeCor®
- Requires E-Z Snap or E-Z Grip Insert for materials thinner than .187" (see below)
- Requires 2 E-Z Elliptical Banner Hanger Clips (Item No. 65-11020 - page 12)
- End Caps sold separately (Item No. 65-11030 - page 12)
- Measures 1 x .75 inches (2.5 x 1.9cm)


24 in. (61cm) – Item No. 65-10424 (A)
36 in. (91.4cm) – Item No. 65-10436
48 in. (121.9cm) – Item No. 65-10448



E-Z Snap Insert

- Snaps open/snaps shut
- Stop-rail ensures complete closure
- Integrated plastic fins securely grip sign material
- Accommodates materials up to .04 inch thick (1.0mm)
- Made from clear PVC
- Measures .7 x .4 inches (1.8 x 1.0cm)

24 in. (61cm) – Item No. 65-10524 (B)
36 in. (91.4cm) – Item No. 65-10536
48 in. (121.9cm) – Item No. 65-10548



E-Z Grip 3-Inch Insert

- Requires 2 pieces for use with E-Z Elliptical Aluminum Banner Hanger
- Made from clear PVC
- Measures .48 x .46 inches (1.2 x 1.1cm)

Standard – Item No. 65-10503

Accommodates material up to .08-inch thick (2mm)

Heavy-duty – Item No. 65-10504 (C)

Accommodates material from .125 to .187-inch thick (3.2mm to 4.7mm)

E-Z Elliptical Banner Hanger Clip

- Slides into top channel of E-Z Elliptical Banner Hanger to provide a hanging point
- Complete assembly requires 2 pieces
- Packaged 2 per bag
- Made from black nylon or clear polycarbonate

Black – Item No. 65-11020 (D)
Clear – Item No. 65-11021



E-Z Elliptical Banner Hanger End Cap

- Insert into open ends of E-Z Elliptical Aluminum Banner Hanger for a finished look
- Complete assembly requires 2 pieces
- Packaged 2 per bag
- Made from black nylon


Item No. 65-11030 (E)



E-Z Graphic Ratchet Fastener

- Slides into E-Z Elliptical Aluminum Banner Hanger
- Inserts through materials with pre-punched holes
- Fits into .28 inch diameter hole (7.1mm)
- Accommodates materials up to .19 inches thick (4.8mm)
- Complete assembly requires 2 pieces
- Packaged 50 per bag

Item No. 65-11010 (F)





E-Z Elliptical Plastic Banner Hanger

- Stylish and economical way to hang lightweight materials
 - Use as a stabilizer along bottom edge of material
 - Secure Friction-Fit for thicker materials up to .08 inches thick (2mm)
 - Requires 2 E-Z Elliptical Banner Hanger Clips sold separately (Item No. 65-11021 - page 12)
 - Made from clear PVC
 - Measures .88 x .63 inches (2.2 x 1.6cm)
- 22 in. (55.9cm) – Item No. 65-11032
 24 in. (61cm) – Item No. 65-11034 (A)
 36 in. (91.4cm) – Item No. 65-11036
 48 in. (121.9cm) – Item No. 65-11048

E-Z Elliptical Snap and Grip Plastic Banner Hanger

- Snaps open/snaps shut
 - Integrated plastic fins securely grip sign material
 - Accommodates material up to .06 inches thick (1.5mm)
 - Requires 2 E-Z Snap and Grip Banner Hanger Clips sold separately (Item No. 65-11000 - page 14)
 - Made from clear PVC
- 22 in. (55.9cm) – Item No. 65-11070
 24 in. (61cm) – Item No. 65-11071 (B)
 36 in. (91.4cm) – Item No. 65-11072
 48 in. (121.9cm) – Item No. 65-11073

E-Z Snap and Grip Banner Hanger


- Snaps open/snaps shut
- Integrated plastic fins securely grip sign material
- Accommodates material up to .04 inches thick (1.0mm)
- Stop-rail ensures complete closure
- Requires 2 E-Z Snap and Grip Banner Hanger Clips sold separately (Item No. 65-11000 - see below)
- Made from clear PVC

22 in. (55.9cm) – Item No. 65-10622
 24 in. (61cm) – Item No. 65-10624 (C)
 36 in. (91.4cm) – Item No. 65-10636
 48 in. (121.9cm) – Item No. 65-10648

E-Z Snap and Grip Banner Hanger Clip

- Slides into top channel of E-Z Snap and Grip Banner Hangers to provide a hanging point
- Complete assembly requires 2 pieces
- Packaged 2 per bag
- Made from clear polycarbonate

Item No. 65-11000 (D)





E-Z Twist-On Ceiling Loop

- Securely twists onto standard 1-inch (2.5cm) drop ceiling grid
- Compatible with most aluminum installation poles
- Removable
- White styrene
- Measures 2 inches in diameter (5.1cm) with 0.875-inch interior loop (2.2cm)

Item No. 60-10000 (A)

E-Z Twist-On Metal Ceiling Clip

- Superior strength 20 gauge spring steel construction
- Twist-on to securely lock onto standard 1-inch (2.5 cm) ceiling grid
- Accommodates LoopLine, Steel Cable or E-Z S-Hooks
- No special tools required
- White
- Measures 1.5 x 1.0 inches (3.8 x 2.5cm) with 0.23-inch interior loop (6.0mm)

Item No. 60-10001 (B)

E-Z Twist-On with LoopLine

- Attaches to drop ceiling grid with twist and lock feature
- Wound with 3 feet (91cm) of LoopLine Light for use with lightweight signs or mobiles
- Packaged 10 per bag
- Measures 2 x .5 inches (2.5 x 1.3cm)

Item No. 60-10031 (C)

E-Z Reach Aluminum Installation Pole

- Easily install E-Z Twist-On to drop ceiling
- Twist to unlock, extend, and lock
- Includes permanent 2-inch plastic socket
- Compatible with most commercial clips
- Lightweight 1.4lbs (.64kg)
- Available in two extension lengths

10 ft (3m) – Item No. 68-10025 (D)

18 ft (5m) – Item No. 68-10027

E-Z S-Hook

- For various hanging applications
- Zinc coated bright galvanized steel

1" S-Hook – Item No. 64-10010 (E)

1.06 inches long (27mm); .08-inch dia. (2mm)

2" S-Hook – Item No. 64-10020 (F)

2.0 inches long (54mm); .148-inch dia. (4mm)



E-Z U-Hook

- For use with thick sign materials
- Requires post and screw set (see below)
- .25-inch loop end accommodates post up to .75 inches long (1.9cm)
- Packaged 20 per bag
- Measures 2 x .75 inches (5 x 1.9cm)

Item No. 64-10021 (G)

E-Z Connect Post & Screw Set

- Secures E-Z U-Hook to display material
- Binder capacity determined by post length
- Includes appropriately sized screw
- Packaged 20 per bag (unassembled)

1/4-inch – Item No. 64-10014 (H)

.25-inch post (6.35mm); with screw

1/2-inch – Item No. 64-10012

.5-inch post (12.7mm); with screw

3/4-inch post – Item No. 64-10034

.75-inch post (19.1mm); with screw



WallClick™


- Powerful neodymium magnets
- Up to 18-lb magnetic pull (8.2kg)
- Two loops for easy LoopLine connection
- Anti-slip covering holds embedded magnet in place on vertical metal surfaces including store fixtures, steel posts, and machinery cabinets
- Ideal for implementing cross-brand merchandising programs
- Packaged 10 magnets per bag
- Measures 1.75 inches in diameter by .75 inches high (4.4 x 1.9cm)

Item No. 10-96020 (I)


Miracle-Sticks®

- The perfect alternative to messy tape
- Leaves no sticky residue or tape shards
- Adheres to glass, metal, plastic, tile, wire and wood (not for use on papered surfaces)
- Formulated adhesive on both sides
- Packaged 500 per roll in a dispenser box
- Measures 1.6 x .4 inches (4.1 x 1.0cm)

Item No. 40-10000 (J)



Ceiling space and store front windows are optimal visual display locations. Metal plates transform non-magnetic surfaces into a magnetic surface for using Klik-Klik™ to safely, quickly and easily hang signs. Allows window signs to hang securely off glass, eliminating suction cups and adhesive tape residue.



Metal Plate

- Create a magnetic connection point for display windows and finished ceilings
- Attaches to non-magnetic surface with durable 3M VHB adhesive
- Also attaches to wood, plaster, and dry wall with a screw, toggle or molly bolt (hardware not included)
- White powder-coat finish
- Measures 3.0 x 1.1 x 0.1 inches (7.6 x 2.7 x .25cm)

Item No. 66-10627 (A)

Sign Hanging Essentials Kit


- Be prepared to tackle hanging projects with this 70-piece assortment of our best-selling hardware necessary to install signs, banners, or décor from open-beam or drop ceilings
- Packaged in a durable carrying case with adjustable compartments for easy transport to job locations and convenient storage
- Case measures 17.375 x 13.0 x 3.5 inches (45.1 x 33 x 8.9cm)

Item No. 60-10100 (B)

Contains: Urban Trapeze™ 1.5 (4)
 1/16-inch Steel Cable (20-feet)
 Mini KlikMagnets™ (2),
 Regular KlikMagnets (2)
 Super KlikMagnets (4)
 Round Red KlikMagnets (2)
 Wall KlikMagnets (2)
 Window Frame Metal Plates (2)
 LoopLine White (82-foot spool)
 1/2-inch Binder Post and Screw Set (8)
 E-Z Twist Metal Ceiling Clip (4)
 2-inch U-Hooks (4)
 2-inch "S" Hooks (8)
 1-inch "S" Hooks (8)
 1/16-inch Aluminum Sleeve-Crimps (10)



Note: Actual case may differ from the one shown in the image.



E-Z PowerTabs® White

- Composite film is stronger and less conspicuous than plastic grommets
- Strong adhesive for indoor or outdoor use
- Use with virtually any material
- Packaged 20 per bag
- Measures 2.1 x 5.5 inches (5.4 x 14cm)

Item No. 69-10011 (A)

E-Z BravoTabs® Clear

- High strength, square shape composite film
- Strong adhesive for indoor or outdoor use
- Packaged 20 per bag
- Measures 1.9 x 1.9 inches (4.8 x 4.8cm)

Item No. 69-10017 (B)

E-Z PolyTabs® Clear

- Economical for lightweight, indoor use
- Packaged 20 per bag
- Measures 1.5 x 1.5 inches (3.8 x 3.8cm)

Item No. 69-10062 (C)



E-Z PowerPunch™

- Heavy-duty, lightweight, hand-held punch
- Easily cuts .31 inch diameter holes in substrates up to .18 inches thick (4.5mm)
- Replaceable punch extends tool life
- Measures 3 x 7 inches (7.6 x 17.8cm) with 1-inch reach (2.5cm)

Item No. 69-10009 (D)

E-Z PowerTape®

- Super-strong, single-sided tape for indoor or outdoor use
- Strengthen banner edges and reduce curling without folding or sewing
- Packaged 36 yards per spool (32.9m)
- Measures 1.5 inches wide (3.8cm)

Item No. 69-10010 (E)

E-Z BravoTabs® Starter Kit

- Value priced starter kit for BannerUps® product line
- Includes an E-Z PowerPunch, a roll of E-Z PowerTape and a 20-count package of E-Z BravoTabs

Item No. 69-10001

Ceiling Outfitters®

It's all about connecting™

877.866.2545 toll free

972.588.1555 office

866.525.0687 fax

CeilingOutfitters@gmail.com

2445 Midway Road, Suite 103

Carrollton, Texas 75006

© 2017 Retailer Solutions Co., LLC

See our website for Terms and Conditions

ceilingoutfitters.com